

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,095	02/27/2004	Timothy D. Sellis	18347 USA	7706
23307 7:	590 06/15/2006		EXAMINER	
SYNNESTVEDT & LECHNER, LLP			MATZEK, MATTHEW D	
2600 ARAMARK TOWER 1101 MARKET STREET			ART UNIT	PAPER NUMBER
	HIA, PA 191072950		1771	
			DATE MAILED: 06/15/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)				
	10/789,095	SELLIS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Matthew D. Matzek	1771				
The MAILING DATE of this communication appeariod for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailling date of this communication.  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	NATE OF THIS COMMUNICATION  136(a). In no event, however, may a reply be to will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	N. mely filed  n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 24 /	March 2006.					
· — ·	s action is non-final.					
3) Since this application is in condition for allowa						
Disposition of Claims						
4) Claim(s) 1-67 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-67 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examina  10) ☑ The drawing(s) filed on 27 February 2004 is/an  Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	re: a) $\square$ accepted or b) $\square$ object drawing(s) be held in abeyance. So etion is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:					

Art Unit: 1771

## Response to Amendment

1. The amendment dated 3/24/2006 has been fully considered and entered into the Record. Amended claims do not contain new matter. Claims 1-67 are currently pending. The previously applied double patenting rejection has been withdrawn as application 11/077,306 fails to claim a netting layer being bias able in at least one direction.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-7, 9, 11, 14, 16-17, 19-20, 25-41, 43, 48, 50-51, 53-54, and 56-67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944).
  - a. Gladfelter et al. teach a flexible protective sleeve comprising an outer layer of a bi-laminate of a metal foil and a film of polyethylene terephthalate (PET) wherein the film has been flashed with aluminum (col. 4, lines 22-27). This outer layer anticipates the instantly claimed reflective layer with the PET layer being the flexible, resilient layer and the flashed layer of aluminum constitutes the metallized film layer. The metallized film layer may be adhesively attached to the foil layer (col. 4, lines 25-27). Under the outer layer comprising metal foil, aluminum metallized film, and layer of PET is support layer 11 which may be polyester or other heat settable polymeric materials (col. 4, line 53-55) and inner layer 12 which may be felt (col. 4, lines 27-29, Figure 1). The invention

Art Unit: 1771

of Gladfelter et al. is directed for use and a sleeving product with the foil layer facing outwardly and the felt (damping) layer. The invention is to be used as a tube with a hollow central core. Gladfelter et al. teach the concept of biasing a support layer in the disclosure pertaining to the serpentine monofilament 14. In particular, the reference teaches that the monofilament should provide sufficient rigidity to provide high hoop strength (circumferential) while at the same time provide a high degree of flexibility longitudinally (col. 1, lines 47-55). This demonstrates a biased support with greater rigidity in the circumferential direction relative to its longitudinal direction. The invention of Gladfelter et al. is silent as to the use of a netting layer to serve as support layer 11 and aluminum foil for the metal foil layer.

- b. Cook, II teaches a reflective insulating material comprising outer layers of reflective foil, multiple layers of foam and a mesh material sandwiched between the layer of foam material all adhered together by adhesive (Abstract). The outer layer of foil is made of aluminum [0014]. A layer of adhesive has been placed between each layer to assist in maintaining the structural integrity of the article (Abstract).
- c. Since Gladfelter et al. and Cook, II are from the same field of endeavor (i.e. reflective insulating materials) the purpose disclosed by Cook, II would have been recognized in the pertinent art of Gladfelter et al.
- d. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to have made the metal foil layer of Gladfelter et al. of aluminum foil and replaced the polymeric support layer for a mesh material. The skilled artisan would have been motivated by the desire to make use aluminum foil for its reflective

Art Unit: 1771

properties and the use of a mesh layer for providing directional support to the protective sleeve. It would have also been obvious to have used the pressure sensitive adhesive of Gladfelter et al. (col. 4, lines 39-41) between each layers of the combined invention, as described by Cook, II and have said adhesive extend through the interstices of the netting layer. The artisan would have been motivated by the desire to impart greater structural integrity to the combined article via the application of PSA and by extending through the interstices the adhesive would be in contact with more surface area resulting in a stronger bond. Examiner equates the applied mesh layer to the instantly claimed netting layer. Support for this assertion has been provided by the *Textile Glossary*.

- e. The orientational limitations set forth in claims 36-39 have been met by the illustrated embodiments of Figures 2, 2A and 2B.
- 3. Claims 8, 21, 42 and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944) as applied to claims 7, 20, 41 and 53 above, and further in view of Gladfelter et al. (US 5,849,379). The inventions of Gladfelter et al. ('721) and Cook, II are silent as to the thicknesses of the metal foil and felt layers.
  - a. The '379 patent teaches a split sleeve for insulation comprising an outer metal foil layer (Abstract) of 0.001 inches (col. 2, lines 62-65) and an inner layers of felt of about 2mm (0.079 in) (col. 2, lines 57-59).
  - b. Since the inventions of the '721 and '379 patents are from the same field of endeavor (i.e. insulative sleeves), the purpose disclosed in the '379 patent would have been recognized in the pertinent art of the '721 patent.

Art Unit: 1771

c. It would have been obvious at the invention was made to a person having ordinary skill in the art to modify the article of the '721 patent to have a foil layer of 0.001 inches and a felt layer of 0.079 inches. The skilled artisan would have been motivated by the desire to create an insulative article that is cost effective and possesses high durability (col. 1, lines 31-36).

- 4. Claims 18 and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944) as applied to claims 17 and 51 above, and further in view of Cohen et al. (US 2004/0126597). The inventions of Gladfelter et al. ('721) and Cook, II are silent as to the thicknesses of the adhesive layers.
  - a. Cohen et al. teach a material for covering insulation surfaces to protect them from environmental factors. The covering comprises multiple layers of foil with layers of pressure sensitive adhesive (PSA) disposed between said foil layers (Abstract). The PSA layers are typically 0.079 mm [0041].
  - b. Since Gladfelter et al. and Cohen et al. are from the same field of endeavor (i.e. covering for insulative articles), the purpose disclosed by Cohen et al. would have been recognized in the pertinent art of Gladfelter et al.
  - c. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to have made the article of Gladfelter et al. with layers of PSA of 0.079mm. The skilled artisan would have been motivated by the desire to create an insulative article with improved structural integrity without making the article heavy or costly due to excessive use of PSA between the layers.

Art Unit: 1771

5. Claims 12, 13, 22-24 and 45-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944) as applied to claims 1 and 31 above, and further in view of Bunyan (US 6,410,137). The inventions of Gladfelter et al. ('721) and Cook, II are silent as to the orientation of the elongated members or their associated bending stiffness.

- a. Bunyan teaches an electromagnetic shielding wrap comprising pressure sensitive adhesive (Abstract), metal foils and polyester meshes (col. 6, lines 18-56). Illustrated in Figure 3 is the polyester mesh of interlayer 18 that reinforces the foil member 12 for easier handling and cutting (col. 6, lines 51-60). The first and second elongated members of 18 are oriented at right angles to one another and the members that wrap around the body of the central core 52 are oriented perpendicular to an axis extending lengthwise along the central core.
- b. Since Gladfelter et al. and Bunyan are from the same field of endeavor (i.e. insulative articles), the purpose disclosed by Bunyan would have been recognized in the pertinent art of Gladfelter et al.
- c. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the article of Gladfelter et al. with the polyester mesh of Bunyan. The skilled artisan would have been motivated by the desire to have imparted the article of Gladfelter et al. with tear resistance and reinforcement of the foil member for easier handling and cutting without deleteriously affecting the overall drapability of the article (col. 6, lines 57-62).

Art Unit: 1771

d. Claims 13 and 46 are rejected as it would have been obvious to have made the first members (width) of the reinforcing mesh with greater bending stiffness than the second elongated members (length). Gladfelter et al. teach the concept of biasing a support layer in the disclosure pertaining to the serpentine monofilament 14. In particular, the reference teaches that the monofilament should provide sufficient rigidity to provide high hoop strength (circumferential) while at the same time provide a high degree of flexibility longitudinally (col. 1, lines 47-55). This demonstrates a biased support with greater rigidity in the circumferential direction relative to its longitudinal direction. With regards to claims 13 and 46 the stiffer circumferential members serve as the first elongated members and the longitudinal members serve as the second elongated members.

6. Claims 15 and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944) as applied to claims 1 and 48 above, and further in view of Baccus et al. (US 2002/0127933). The inventions of Gladfelter et al. ('721) and Cook, II are silent as to the use of polypropylene in place of a polyester such as PET.

Gladfelter et al. discloses the claimed invention except that PET instead of polypropylene, Baccus et al. shows polypropylene is an equivalent structure known in the art. Therefore, because these two materials (polyester and polypropylene) may be used interchangeably as textile meshes in insulative articles and as such were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute polypropylene for polyester.

Art Unit: 1771

7. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944) as applied to claim 9 above and further in view of Jones et al. (US 5,122,412). The disclosures of Gladfelter et al. and Cook, II are silent as to the thickness of the metallized film layer.

- a. Jones et al. teach a metallized high specular gloss polyethylene plexifilamentary film-fibril sheet with very low emissivity created by coating the film-fibril sheet with a metallized layer. Such metallized sheets are useful as radiant barriers (Abstract). The metallized sheet reduces radiant heat transfer from a hotter exterior and reduces convective heat losses when a cooler environment surrounds the insulated article (col. 1, lines 44-48). A metallized layer thickness of between 75 and 300 Angstroms is desired (col. 4, lines 62-66).
- b. Since Gladfelter et al. and Jones et al. are from the same field of endeavor (i.e. radiant barriers), the purpose disclosed by Jones et al. would have been recognized in the pertinent art of Gladfelter et al.
- c. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to have made the metallized layer of Gladfelter et al. with a thickness of between 75 and 300 Angstroms as disclosed by Jones et al. The skilled artisan would have been motivated by the desire to create an article that is a radiant barrier with low emissivity, high moisture vapor permeability and good resistance to air and water penetration (col. 1, lines 14-19).
- 8. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gladfelter et al. (US 6,309,721) in view of Cook, II (US 2003/0012944) as applied to claim 43 above and further

Art Unit: 1771

in view of Cohen (US 4,780,347). The disclosures of Gladfelter et al. and Cook, II are silent as to the thickness of the metallized film layer.

- a. Cohen teaches the creation of an insulation system for pipes (Abstract). The insulative system includes an interior metallized layer 18 of aluminum with a thickness of 0.00035 to 0.0007 inches (col. 3, lines 22-32).
- b. Since Gladfelter et al. and Cohen are from the same field of endeavor (i.e. insulative systems), the purpose disclosed by Cohen would have been recognized in the pertinent art of Gladfelter et al.
- c. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to have made the metallized film layer with a thickness of 0.00035 to 0.0007 inches with the motivation of providing the insulative system with a vapor barrier (col. 3, lines 15-20, Cohen).

#### **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Art Unit: 1771

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

9. Claims 1-67 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-18 of copending Application No. 11/077306. Although the conflicting claims are not identical, they are not patentably distinct from each other because both inventions are directed to textile-reinforced metal foil laminates.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

## Response to Arguments

- 10. Applicant's arguments filed 3/24/2006 have been fully considered but they are not persuasive.
- 11. Applicant argues that the Cook reference fails to teach a mesh or netting material that is biased in at least one direction. As discussed supra, and again provided here the Gladfelter reference has been relied upon for the teaching of a biased support layer. Gladfelter et al. teach the concept of biasing a support layer in the disclosure pertaining to the serpentine monofilament
- 12. In particular, the reference teaches that the monofilament should provide sufficient rigidity to provide high hoop strength (circumferential) while at the same time provide a high degree of flexibility longitudinally (col. 1, lines 47-55). This demonstrates a biased support with greater rigidity in the circumferential direction relative to its longitudinal direction. Cook has been relied upon for the teaching of using a mesh or netting for support for the insulative product. The reasoning for replacing the serpentine support of Gladfelter with the mesh of Cook

Art Unit: 1771

is based upon the desire to provide consistent support in the longitudinal direction while also providing the insulative article with the biased support as disclosed by Gladfelter.

13. Applicant argues that replacing the "continuous monofilament member" with the "mesh material" of Cook would destroy a core principal of Gladfelter, i.e., providing a resilient set to the protective sleeve. In combining the Gladfelter and Cook references, Examiner intends to replace the serpentine component singly shown in Figure 3 of Gladfelter. The combined article possesses the biased teaching of Gladfelter in the netting teaching of Cook. Therefore, the combined article would still provide a "resilient set to the protective sleeve".

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew D. Matzek whose telephone number is (571) 272-2423. The examiner can normally be reached on 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1771

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

mdm

MUM